EAST Search History

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
3	35307	370/310,474,394,328,468,538,477,473,535,544,335,338,465,208,210,437,428,235,252,455,259 ods	US-PGPUB; USPAT; EPO; JPO; DEPWENT	OR	ON	2009/03/13 12:30
4	6756	455/424,560,67.11,12.1 ods	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/13 12:30
5	34457	708/220, 236, 203, 232, 223-225, 238, cds.	US-PGPUB; USPAT; EPO; JPO; DEPWENT	OR	ON	2009/03/13 12:31
6	1706	714/748,E11.113,749,750,751.cds	US-PGPUB; USPAT; EPO; JPO; DEFWENT	OR	ON	2009/03/13 12:31
7	58	((multiplex\$4 near3 data) with (retransmission near2 (packet data)))	US-PGPUB; USPAT; EPO; JPO; DEFWENT	OR	ON	2009/03/13 12:31
8	1854	(adjust\$4 chang\$4 modif\$9) with ((retransm\\$6 resend\$4 re?transm\\$6 re'send\$4) near2 (packet data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/13 12:32
9	13	7 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/13 12:33
.10	6067	(stor\$6 buffer\$4 memory) with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/13 12:33
.11	10	9 and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/13 12:33
12	7	(new adj2 (transmisson near2 (packet data))) with ((adjust\$4 chang\$4 modi\$9) with ((retransmi\$6 resend\$4 re?transmi\$6 re?send \$4) near2 (packet data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/13 12:54
.13	1	(compar\$4 with (less more equal)) with ((retransmi\$6 reserd\$4 re?transmi\$6 re?send\$4) near2 (packet data)) with (new adj2 (transmission near2 (packet data))	US-PGPUB; USPAT; EPO; JPO; DEFWENT	OR	ON	2009/03/13 12:58
.14	7	(compar\$4 updat\$4) with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data)) with (new adj2 (transmission near2 (packet data)))	US-PGPUB; USPAT; EPO; JPO; DEFWENT	OR	ON	2009/03/13 13:01

S2	150	(Fukui near2 Akito) in.	US PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/27 18:43
3	7	(multiplexer with (retransmission near2 (packet data))),clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/27 18:44
4	1	S2 and S3	US-PGPUB; USPAT; EPO; JPO; DEPWENT	OR	ON	2009/02/27 18:44
δ	58	((multiplex(\$4 near3 data) with (retransmission near2 (packet data)))	US-PCPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/27 18:46
6	10	;((multiplex(\$4 near3 data) with (retransmission near2 (packet data))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/27 18:46
8	3	(adjust\$4 chang\$4 modif\$9) with S5	US PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/27 18:46
9	1947	(detect\$4 sens\$4 compar\$8) with ((receiv\$4 near3 data) with (quality gos))	US-PGPUB; USPAT; EPO; UPO; DERWENT	OR	ON	2009/02/27 18:50
10	1	93 and 99	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/27 18:50
11	6032	;((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data)) with (stor\$6 buffer\$4 memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/27 18:52
12	1844	(adjust\$4 chang\$4 modif\$9) with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/27 18:52
13	5271	(detect\$4 sens\$4 compar\$8) with ((retransmi\$6 resenct\$4 re?transmi\$6 re?senct\$4) near2 (packet data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/27 18:52
14	7228	{(retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data)) with (request\$4)	US-PGPUB; USPAT; EPO; UPO; DERWENT	OR	ON	2009/02/27 18:53
315	167	iS11 and S12 and S13 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/27 18:53

316	168381	(@ad<"20090718" @riad<"20090718") and ("370"(\$.cds. "455"/\$.cds.)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/27 18:54
317	51	S15 and S16	US-PGPUB; USPAT; EPO; UPO; DERWENT	OR	ON	2009/02/27 18:55
18	186	((multiplex\$4 near3 data) with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (paxket data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/27 18:55
19	6	S17 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/27 18:55
20	275	((adjust\$4 chang\$4 modi(\$9) with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/27 19:03
21	1031	(((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data)) with (stor\$6 buffer\$4 memory)), clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/27 19:03
22	751	((detext\$4 sens\$4 compar\$8) with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data))).dm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/27 19:03
23	1166	(((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data)) with (request\$4)).dm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/27 19:03
24	22	S20 and S21 and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/27 19:04
25	1	52 and 524	US PQPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/27 19:08
26	7	\$24 and \$23	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/27 19:08
27	128	(more less equal) with S12	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/27 19:10
28	1	⊠ and ⊠7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/27 19:10

29	16268	(defext\$4 sens\$\$ receiv\$4) with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (paxket data))	US POPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/28 13:13
30	3808	(compar\$4 less more equal) with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data))	US-PCPUB; USPAT; EPO; JPO; DEPWENT	OR	ON	2009/02/28 13:14
31	1844	((adjust\$4 chang\$4 modif\$9) with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/28 13:14
32	105	((multiplexer) with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data)))	US-PCPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/28 13:14
33	6032	(stor\$6 buffer\$4 memory) with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data))	US-PCPUB; USPAT; EPO; JPO; DEFWENT	OR	ON	2009/02/28 13:15
34	2804	S29 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/28 13:15
35	56	S32 and S33	US-PCPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/28 13:15
36	528	S30 and S31	US PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/28 13:15
37	449	\$34 and \$36	US PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/28 13:15
38	150	(Fukul neer2 Akto) in.	US PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/28 13:16
39	271989	(@ad<"20030718" @riad<"20030718") and ("370"/\$.ods. "455"/\$.ods. "714"/\$.ods. "709"/\$.ods.)	US PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/28 13:16
40	25	\$35 and \$39	US PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/28 13:17
41	261	S36 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/28 13:17

342	225	\$37 and \$39	US-PGPUB; USPAT; EPO; JPO; DEPWENT	OR	ON	2009/02/28 13:17
344	10	((multiplext≱4 near3 data) with (retransmission near2 (packet data))) clin.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/28 13:17
45	1	\$38 and \$44	US-PGPUB; USPAT; EPO; JPO; DEPWENT	OR	ON	2009/02/28 13:17
46	58	((multiplex∯4 near3 data) with (retransmission near2 (packet data)))	US-PGPUB; USPAT; EPO; JPO; DEPWENT	OR	ON	2009/02/28 13:18
47	14	{(multiplex\$4 near3 data) with (new adj2 (transmission near2 (packet data))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/28 13:18
48	3	\$46 and \$47	US-PGPUB; USPAT; EPO; JPO; DEPWENT	OR	ON	2009/02/28 13:18
49	140	{(new adj2 (transmission near2 (packet data))) with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/28 15:11
50	23	(stor\$6 buffer\$4 memory) with \$49	US-PGPUB; USPAT; EPO; JPO; DEFWENT	OR	ON	2009/02/28 15:11
δ1	4	((stor\$6 buffer\$4 memory) with S49).dm.	US-PGPUB; USPAT; EPO; JPO; DEPWENT	OR	ON	2009/02/28 15:12
52	1844	i((adjust\$4 chang\$4 modif\$9) with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/28 15:12
53	7	(new adj2 (transmission near2 (packet data))) with ((adjust\$4 chang\$4 modi\$9) with ((retransmi\$6 resend\$4 re?transmi\$6 re?send \$4) near2 (packet data)))	US-PGPUB; USPAT; EPO; JPO; DEFWENT	OR	ON	2009/02/28 15:12
δ4	14	(compat%4 less more equal) with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data)) with (new adj2 (transmission near2 (packet data)))	US-PGPUB; USPAT; EPO; JPO; DEFWENT	OR	ON	2009/02/28 15:13
\$55	2	\$50 and \$54	US-PGPUB; USPAT; EPO; JPO; DEFWENT	OR	ON	2009/02/28 15:13

56	20	((deted\$4 sens\$4 compar\$3) with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data))) same (new ad;2 (transmission near2 (packet data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/28 15:14
57	150	(Fukul near2 Akito) in.	US-PGPUB; USPAT; EPO; JPO; DEPWENT	OR	ON	2009/02/28 15:30
58	10	{(multiplex\$4 near3 data) with (retransmission near2 (packet data))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/28 15:30
59	1	\$57 and \$38	US-PGPUB; USPAT; EPO; JPO; DEPWENT	OR	ON	2009/02/28 15:30
60	1	\$51 and \$57	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/28 15:31
31	4	;(amount with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data))) same (new adj2 (transmission near2 (packet ;data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/28 15:53
32	98	(less more equal) with (amount with ((retransmi\$6 resend\$4 re?ransmi\$6 re?send\$4) near2 (packet data)))	US-PGPUB; USPAT; EPO; JPO; DEPWENT	OR	ON	2009/02/28 15:53
63	15	:{(less more equal) with (amount with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data)))).dm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/28 15:53
64	1	\$57 and \$63	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/28 15:54
65	5	[(((receiv\$4 near3 data) near5 (quality qos)) with (amount with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (paxket data))))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/28 16:07
66	2	[(((receiv\$4 near3 data) near5 (quality qos)) with (amount with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet [data]))) .dm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/28 16:07
67	11	(stor\$6 buffer\$4 memory) with (amount near7 ((receiv\$4 near3 data) near5 (quality qos)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/28 16:29
68	1	(SI4) and Si57	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/02/28 16:29

369	1	S62 and S67	US-PGPUB; USPAT; EPO; JPO; DEPWENT	OR	ON	2009/02/28 16:30
70	7	ij(adjust\$4 chang\$4 modif\$9) with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data))) with (new adj2 i(transmission near2 (packet data)))	US-PGPUB; USPAT; EPO; JPO; DEFWENT	OR	ON	2009/03/02 12:20
71	36	amount with (new adj2 (transmission near2 (packet data)))	US-PGPUB; USPAT; EPO; JPO; DEFWENT	OR	ON	2009/03/02 12:20
72	9	(amount with (new ad/2 (transmission near2 (packet data)))).clm.	US-PGPUB; USPAT; EPO; JPO; DEPWENT	OR	ON	2009/03/02 12:21
73	15	i((deted\$4 sens\$4 compar\$9) with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data))) with (new adj2 i(transmission near2 (packet data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/02 12:21
74	98	(less more equal) with (amount with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/02 12:21
75	106	((multiplexer) with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data)))	US-PGPUB; USPAT; EPO; JPO; DEPWENT	OR	ON	2009/03/02 12:49
76	11	(stor\$6 buffer\$4 memory) with (amount near7 ((receiv\$4 near3 data) near5 (quality qos)))	US-PGPUB; USPAT; EPO; JPO; DEFWENT	OR	ON	2009/03/02 12:49
77	1	[compar\$4 with (less more equal)) with ((retransmi\$6 resend\$4 re?ransmi\$6 re?send\$4) near2 (packet data)) with (new adj2 [(transmission near2 (packet data)))	US-PGPUB; USPAT; EPO; JPO; DEFWENT	OR	ON	2009/03/02 12:50
78	140	(new adj.2 (transmission near 2 (packet data))) with ((retransmi\$6 resend\$4 re?ransmi\$6 re?send\$4) near2 (packet data))	US-PGPUB; USPAT; EPO; JPO; DEFWENT	OR	ON	2009/03/02 12:50
79	11	(stor\$6 buffer\$4 memory) with (amount near7 ((receiv\$4 near3 data) near5 (quality qos)))	US-PGPUB; USPAT; EPO; JPO; DEPWENT	OR	ON	2009/03/02 12:50
30	1	578 and 579	US-PGPUB; USPAT; EPO; JPO; DEPWENT	OR	ON	2009/03/02 12:50
31	98	(less more equal) with (amount with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/02 12:50

382	1	(S81 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/02 12:50
83	58	{(multiplex\$4 near3 data) with (retransmission near2 (packet data))}	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/02 12:51
84	3	(adjust\$4 chang\$4 modif\$9) with S83	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/02 12:51
85	1948	(detect\$4 sens\$4 compar\$8) with ((receiv\$4 near3 data) with (quality qos))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/02 12:51
86	1	(\$94 and \$95	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/02 12:51
89	15	((detec.\$4 sens\$4 compar\$8) with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data))) with (new adj2 (transmission near2 (packet data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/02 17:58
90	186	{(multiplex\$4 near3 data} with ((retransmi\$6 resend\$4 re*transmi\$6 re*Send\$4) near2 (packet data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/02 17:59
91	3	\$89 and \$90	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/02 17:59
92	1845	:{(adjust\$4 charg\$4 modit\$9) with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/02 17:59
93	23	\$90 and \$92	US PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/02 17:59
94	6036	(stor\$6 buffer\$4 memory) with ((retransm\\$6 resend\$4 re?transm\\$6 re?send\$4) near2 (packet data))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/02 18:00
95	548	\$92 and \$94	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/02 18:00
96	14	933 and 935	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/02 18:00

S98	58	[(multiplex\$4 near3 data) with (retransmission near2 (packet data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/03 19:43
S99	58	{(multiplex\$4 near3 data) with (retransmission near2 (packet data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/03 19:44
5100	3	{(adjust\$4 chang\$4 modf\$9) with \$99	US-PGPUB; USPAT; EPO; JPO; DEPWENT	OR	ON	2009/03/03 19:44
S101	752	((detest\$4 sens\$4 compar\$8) with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data))).dm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/03 19:44
S102	150	(Fukui near2 Akito) in.	US-PGPUB; USPAT; EPO; JPO; DEPWENT	OR	ON	2009/03/03 19:44
3103	7	(multiplexer with (retransmission near? (packet data)), clm.	US-PGPUB; USPAT; EPO; JPO; DEFWENT	OR	ON	2009/03/03 19:44
5104	1	(\$102 and \$103	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/03 19:44
\$105	9	(amount with (new adj2 (transmission near2 (packet data)))) clm.	US-PGPUB; USPAT; EPO; JPO; DEFWENT	OR	ON	2009/03/03 19:44
\$108	10	{(multiplex\$4 near3 data) with (retransmission near2 (packet data))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/03 19:45
5111	7	[(new adj2 (transmission near2 (packet data))) with ((adjust\$4 chang\$4 modi\$9) with ((retransmi\$6 resend\$4 re?transmi\$6 re?send \$4) near2 (packet data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/03 20:35
5112	1847	{(adjust\$4 chang\$4 modi(\$9) with ((retransmi\$6 resend\$4 re?transmi\$6 re?send\$4) near2 (packet data)))	US-PGPUB; USPAT; EPO; JPO; DEPWENT	OR	ON	2009/03/03 20:35
S113	1	S102 and S112	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2009/03/03 20:36

3/13/09 1:23:09 PM

C:\ Documents and Settings\ HPhan10\ My Documents\ EAST\ Workspaces\ 10564313.wsp